


No.

9300248



# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

**Pioneer Hi-Bred International, Inc.**

Whereas, THERE HAS BEEN PRESENTED TO THE

**Secretary of Agriculture**

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE FOREGOING PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9451'



*In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of September in the year of our Lord one thousand nine hundred and ninety-five.*

Attest:

*Marshall C. Hunter*

Commissioner  
Plant Variety Protection Office  
Agricultural Marketing Service

*Samuel J. Phillips*  
Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

# APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) (as it is to appear on the Certificate) <b>Pioneer Hi-Bred International, Inc.</b>		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME <b>9451</b>
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) <b>700 Capital Square 400 Locust Des Moines, IA 50309</b>		5. PHONE (Include area code) <b>(515) 270-3582</b>	<b>FOR OFFICIAL USE ONLY</b> PVPO NUMBER <b>9300248</b> Filing and Examination Fee: <b>\$ 2325.00</b> Date <b>June 7, 1993</b> Certificate Fee: <b>\$ 300.00</b> Date <b>Sept. 5, 1995</b>
6. GENUS AND SPECIES NAME <b>Glycine max</b>	7. FAMILY NAME (Botanical) <b>Leguminosae</b>		
8. CROP KIND NAME (Common Name) <b>Soybean</b>	9. DATE OF DETERMINATION <b>October 1988</b>		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) <b>Corporation</b>			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION <b>Iowa</b>		12. DATE OF INCORPORATION <b>1926</b>	

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS

<b>John Grace</b> 7301 NW 62nd Ave., P.O. Box 85 Johnston, IA 50131-0085	<b>Mike Roth (copy)</b> 700 Capital Square, 400 Locust Street Des Moines, IA 50309
--	--

PHONE (Include area code):

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRUCTIONS on reverse)

a. ☒ Exhibit A, Origin and Breeding History of the Variety.

b. ☒ Exhibit B, Novelty Statement.

c. ☒ Exhibit C, Objective Description of Variety.

d. ☒ Exhibit D, Additional Description of Variety.

e. ☒ Exhibit E, Statement of the Basis of Applicant's Ownership.

f. ☒ Seed Sample (2,500 viable untreated seeds). Date Seed Sample mailed to Plant Variety Protection Office **6/11/93**

g. ☒ Filing and Examination Fee (\$2,150). made payable to "Treasurer of the United States."

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See section 83(a) of the Plant Variety Protection Act.)

☐ YES (If "YES," answer items 16 and 17 below) ☒ NO (If "NO," skip to item 18 below)

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?

☐ YES ☐ NO

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?

☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?

☐ YES (If "YES," through ☐ Plant Variety Protection Act ☐ Patent Act. Give date: \_\_\_\_\_)

☒ NO

19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES?


☐ YES (If "YES," give names of countries and dates)

☒ NO

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT (Owner(s)) 	CAPACITY OR TITLE <b>Soybean Research Manager</b>	DATE <b>6/1/93</b>
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR TITLE	DATE

## 9451 Soybean (April 1993)

**Exhibit A: Origin and Breeding History**

Fall 1985	Original cross was initiated at St. Joseph, IL, in greenhouse. Cross number was PX6308. Parentage = 9571/9402.
Winter 1985	F1 plants were grown in greenhouse at St. Joseph, IL.
Summer 1986	F2 population advanced using modified single seed descent at St. Joseph, IL.
Winter 1986	F3 advanced to F5 by 2 cycles of modified single seed descent in Hawaii.
Summer 1987	F5 bulks of PX6308 were grown at Marshall, MO, and single plants selected.
Summer 1988	F5-derived plant rows of PX6308 were grown at Marshall, MO. Row M8-834 was selected and composited.
Summer 1989	PX6308M019 was entered in MLD452 as entry 8 and planted as 1 replication at 3 locations.
Winter 1989	PX6308M019 was grown in Hawaii for individual plants to be harvested to initiate purification.
Summer 1990-92	Subsequent wide area testing over 3 years has shown 9451 to be uniform and stable for all plant traits from generation to generation with no evidence of variants.

3.0 acres of 9451 (breeders seed) were grown at Malta Bend, MO, during 1991. 43 acres of parent seed (foundation seed equivalent) were grown in Illinois during 1992.

**Exhibit B: Novelty Statement**

9451 is most similar to variety 9461. Both varieties are similar in maturity and agronomic characteristics. However, 9451 is resistant to physiological races 3 and 4 (new race 14) of Soybean Cyst Nematode (Heterodera glycines Ichnohoe) while 9461 is not.

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
LIVESTOCK, MEAT, GRAIN & SEED DIVISION  
PLANT VARIETY PROTECTION OFFICE  
BELTSVILLE, MARYLAND 20705

EXHIBIT C  
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY  
SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) Pioneer Hi-Bred International, Inc.	TEMPORARY DESIGNATION	VARIETY NAME 9451
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) 700 Capital Square 400 Locust Des Moines, IA 50309		FOR OFFICIAL USE ONLY PVPO NUMBER 9300248

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., ). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)  
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)  
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ 2. SEED COAT COLOR: (Mature Seed)

11

1 = Yellow

2 = Green

3 = Brown

4 = Black

5 = Other (Specify) \_\_\_\_\_

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')

2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

★ 5. HILUM COLOR: (Mature Seed)

1 = Buff

2 = Yellow

3 = Brown

4 = Gray

5 = Imperfect Black

6 = Black

7 = Other (Specify) \_\_\_\_\_

★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow

2 = Green

★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low

2 = High

★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP1<sup>a</sup>)

2 = Type B (SP1<sup>b</sup>)

★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')

2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')

3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')

4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ 10. LEAFLET SHAPE:

1 = Lanceolate

2 = Oval

3 = Ovate

4 = Other (Specify) \_\_\_\_\_

## 11. LEAFLET SIZE:

☐ 21 = Small ('Amsoy 71'; 'A5312')  
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

## 12. LEAF COLOR:

☐ 21 = Light Green ('Weber'; 'York')  
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

## ★ 13. FLOWER COLOR:

☐ 1

1 = White

2 = Purple

3 = White with purple throat

## ★ 14. POD COLOR:

☐ 2

1 = Tan

2 = Brown

3 = Black

## ★ 15. PLANT PUBESCENCE COLOR:

☐ 2

1 = Gray

2 = Brown (Tawny)

## 16. PLANT TYPES:

☐ 21 = Slender ('Essex'; 'Amsoy 71')  
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

## ★ 17. PLANT HABIT:

☐ 3

1 = Determinate ('Gnome'; 'Braxton')

2 = Semi-Determinate ('Will')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

## ★ 18. MATURITY GROUP:

☐ 0 ☐ 7

1 = 000

2 = 00

3 = 0

4 = I

5 = II

6 = III

7 = IV

8 = V

9 = VI

10 = VII

11 = VIII

12 = IX

13 = X

## ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

## BACTERIAL DISEASES:

★

☐ 0Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☐ 1Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

## FUNGAL DISEASES:

★

☐ 1Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojina*)

★

☐ 0

Race 1

☐ 0

Race 2

☐ 0

Race 3

☐ 0

Race 4

☐ 0

Race 5

☐

Other (Specify)

☐ 0Target Spot (*Corynespora cassicola*)☐ 0Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐ 0Powdery Mildew (*Microsphaera diffusa*)

★

☐ 0Brown Stem Rot (*Cephalosporium gregatum*)☐ 0Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

4

## 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

## FUNGAL DISEASES: (Continued)

- ★ ☐ 1 Pod and Stem Blight (*Diaporthe phaseolorum* var; *sojae*)
- ☐ 0 Purple Seed Stain (*Cercospora kikuchii*)
- ☐ 1 Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☐ 1 Race 1 ☐ 1 Race 2 ☐ 1 Race 3 ☐ 1 Race 4 ☐ 1 Race 5 ☐ 0 Race 6 ☐ 1 Race 7
- ☐ 1 Race 8 ☐ 1 Race 9 ☐ Other (Specify) \_\_\_\_\_

## VIRAL DISEASES:

- ☐ 1 Bud Blight (Tobacco Ringspot Virus)
- ☐ 1 Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 1 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ 1 Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 1 Seed Mottle (Soybean Mosaic Virus)

## NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 2 Race 3 ☐ 2 (New race 14) Race 4 ☐ Other (Specify) \_\_\_\_\_
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☐ 0 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☐ 0 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ 0 Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ OTHER DISEASE NOT ON FORM (Specify): \_\_\_\_\_

## 20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☐ 1 Iron Chlorosis on Calcareous Soil
- ☐ Other (Specify) \_\_\_\_\_

## 21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ Other (Specify) \_\_\_\_\_

## 22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	9461	Seed Coat Luster	9461
Leaf Shape	9461	Seed Size	9461
Leaf Color	9461	Seed Shape	9461
Leaf Size	9461	Seedling Pigmentation	9461

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/POD
				CM Width	CM Length	% Protein	% Oil		
9451 Submitted	127	2	98			42.6	22.2	17	3
9461 Name of Similar Variety	126	2	81			43.2	22.4	17	3

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

**9451 Soybean (April 1993)****Exhibit D: Additional Description**

In Exhibit C we have identified 9451 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle, seed mottle, and iron chlorosis. This does not mean that 9451 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 9451 to be immune to them. Therefore, we have chosen to be conservative and have identified the line as 'susceptible'.

Table 1. Isozyme information for 9451

<u>ACO2</u>	<u>ACO3</u>	<u>ACO4</u>	<u>ACP</u>	<u>DIA</u>	<u>ENP</u>	<u>IDH1</u>	<u>IDH2</u>	<u>MDH</u>	<u>MPI</u>	<u>PGM</u>	<u>PHI</u>
2	1	1	A	A	A	2	1	B	A	1	1

9451 is a mid group IV variety. If group IV maturities are divided in tenths, the relative maturity for 9451 is 4.5.

**Exhibit E: Statement of the Basis of Ownership**

Variety 9451 was developed by Pioneer Hi-Bred International, Inc., for which it solicits a certificate of protection.